



A GOOD LIFE CAMPAIGN

Product Information

Harmonizer - life-term devices

T & L Health Management Center
New Technology at work for you

Alternative Healing Center using an energy information technology and equipment to coordinate all biochemical processes in the human body achieves good health naturally. For increase the therapeutically effect we suggest using our devices (Harmonizer) for individual and home application.

NAHLTC

Telephone (281) 550-8213
(832) 860-8681

nahealthcenter@gmail.com

www.houstonhealthrestorationcenter.com

Product of USA

Harmonizers and Description of their functions

Harmonizers are a group of devices with a main purpose to help people constantly managing their health. These devices use for correction vital programs which employ in our body. These vital programs regulated interconnection between organs and systems and biochemical process as well as protected us from various viruses, bacterial, hereditary, chronic and other diseases. What is mean illnesses? We can state that illness is just an infringement of integrity work of an organism as an organic whole. It is mean that your body needs to replace this infringement. The sub-consciousness invokes the essential healing information from Information block for repair damage in your body. This information transmitted from device to your body by magnetic fields. All materials using for fabricate Harmonizers do not have a harmful radiations and safe for people. This is a life-term device.

Information Module

An Information Module is a main part of all Harmonizer devices. The Information module is a set of crystals, magnetic, and ampule with water. Healing information recorded in electronic internal- nuclear lattice of crystals. Magnetic is used as a power supply to create a suitable magnetic field to transmitted essential information to human body. All Information programs forms a Block of Memory (BM). Devices can be made with one BM, 4(four), 26 or 260 BM. One BM device has is a complete composition of all programs managing vital function of organism. However their delivery to body occurs consistently. This lack is eliminated in devices with multi-blocks of information memory.

Programs comprise in BM:

1. The Program №1. Information of architectural structure of body, systems, tissues, cells, organelles and molecules.
2. The Program №2. Information of functions of an organism as an organic whole.
3. Программа№3. Information of joint functioning systems and colonies of the microorganisms which are being in a body.
4. The Program №4. The information of each individual organ.
5. The Program №5. The information of all tissue.
6. The Program №6. The information of liquid systems.
7. The Program №7. The information at a cell level, chromosomes and DNA.
8. The Program №8. The information at a molecular level.
9. The Program №9. The information at an atomic level.
10. The Program №10. The information about Influence at elementary particles level.
11. The Program №11-23. The information about Influence at a field structures.
12. The Program №24. The information about Influence at individual consciousness level.

Harmonizer H-1

The Harmonizer H-1 is designed to be use constantly and individually. This device has a cylindrical shape. It looks as a pendant and you can put it on chain and wear around neck. H-1 has one Block of Memory



Application and principle diagram

1 - case. The case can be fabricated from different material: gold, silver, cupronickel, copper, aluminum, brass, bronze or stainless steel is possible.


2 –permanent magnet. A permanent magnet (4x4x8 mm) is used for create a stable electro-magnetic field to carry out the healing information.

3 - Information Module with one blocks memory. This is a main part of this device. Bank of information comprises useful healing information, which record in a set of crystals (diamonds, sapphires and rock- crystal).

The set of crystals fixed in plaster. For insulation they use wax or similar

alloy

- SiO₂ -D = 0.5 – 0.1 mm - 60 %
- Al₂O₃ - D = 0.01 0.1 mm - 1 %
- C - a powder 0.01 %
- Plaster (bonding agent) – 38.99 %



Harmonizer H-2



The Harmonizer H-2 has one Block of Memory

Application and principle diagram similar as Harmonizer H-1, different in shape and power of permanent magnet (increase).


- 1 - Case. The case can be fabricated from different material: copper, aluminum, brass, bronze or stainless steel is possible.
- 2 –Permanent magnet. A permanent magnet is used for create a stable electro-magnetic field to carry out the healing information.
- 3 - Plaster (bonding agent)

Harmonizer H-2Y

The Harmonizer H-2Y is designed to be using for individual and home application. This device employs for wide spectrum of purpose and helping people to retrieve their health.

H-2Y is similar to H-1, only difference in power supply what use for an electromagnetic field. In this device we use four AA batteries instead a permanent magnet. H-2Y has one Block of Memory as well.

Application and principle diagram




A. Start unit of health program

Material: – aluminum foil $\lambda=0,1\text{mm}$
 - polyethylene disk with ferromagnetic coat (MF-2HD).
 Pipe shaped foil disk, diameter 8-15mm.

B. Information Module

- 1 – Electrode (cooper) $F= 1.5 - 2 \text{ mm}^2$.
- 2 – Set of crystal fixed in plaster:

- SiO_2	- $D = 0.5 - 1 \text{ mm}$	- 60%
- Al_2O_3	- $D = 0.01 - 0.1 \text{ mm}$	- 1 %
- C	- powder	- 0.01%
- Plaster (bonding agent)		- 38.99%
- 3 – Polypropylene pipe $D = 32 \times 4; L = 80\text{mm}$.
- 4 – Isolator – wax, medical paraffin



- 5 – Cooper multicore cable $F = 0.2\text{mm}^2$, $L = 0.15\text{m}$.
- 6 – Cooper multicore cable for audio system $F = 0.5\text{mm}^2$, $L = 1.5\text{m}$.
- БП – Power unit, battery AA, 4 pieces (4x1.5v).
- Вк – Switch NO (normal open).
- Л – Photodiode indicator (30mA).
- R_1 – Resistance 200 Ом.
- R_{2x} – Resistance 50 - 500 ком.
- К – Crocodile clip
- ГН- Pinhole $D = 3.5\text{mm}$.
- C* - Unit can be supply separate for customer order.

Information Harmonizer H-2 and H-2Y connected to a conductor. As a conductor we can use an aluminum foil or special copper or silver conducting fabric which is imposed on the open parts of a body serves where it is necessary. It helps to stop a pain, an inflammation and regulate a biochemical processes in an organism. For strengthening of magnetic field we suggest to use additional battery 6-12v and 7 up to 70 Amp/h. For connection it should be use only one plus plug. This connection creates magnetic fields which is not interrupt movement of a liquid in a body.

Regime of influence and duration of an application depend on complexity of infringement of the regulation program. Usually it takes to 60 minutes. For more complex cases probably needs increase an influences to 2-4 times per day or make it during a night sleep.

As you know, water is an effective carrier of the information, therefore for improvement we recommend to take a bath, a shower and foot bath with this device. For a shower or a bath you should connect device to metal part of a pipe, for foot bath the device connects to conductor and it put in tub. Connector could be a few layers of an aluminum foil, either aluminum, or a copper plate. The healing information from Harmonizer via water will delivery to your body. It makes your physical and emotional improvement; both are the important factor for your health. This procedure should be within an hour, as well. In the first week you should start from 30 minutes, gradually increasing to one hour.

Also Harmonizer could be using for improvement drinking water. Device connects to an unpainted metal surface of the pipeline or armature of system of water supply. It will improve and clean from: pathogenic micro flora, influence of herbicides, chemical fertilizers, heavy metals, extraneous smells. You will drink tasty and healthy water from your water supply system with this device.

Harmonizer H-6

Harmonizer H-6 similar to H-1, H-2 and H-2Y, but has 26 Blocks of Memory and use for large and mass application.



1. Health Center. Harmonizer connected to right geometrical figure kind of pyramid. Magnetic fields inside pyramid space become an even and it amplified to carry over information from device to human body. Each individual chooses specific correction program. This postulate lets to be in pyramid space a few people same time. Session - 30 to 60 minutes. For individuals with serious health problem the session time could be increase for night sleep in pyramid space.

2. Relaxation room. There is a tubular design along perimeter of a room. Harmonizer connected to this construction. Individuals are being there have emotional and physical relaxation. Session - 30 to 60 minutes.

3. The tubular design for beds. Harmonizer connected to this construction. It gives opportunity to individuals healing their organism

during night sleep.

- 4. Swimming pools and small reservoirs. For this procedure you need to have an aluminum plate size 1m x 2m and thickness 1-2 mm. This plate should be sinking in water. Harmonizer connected to this plate. It gives opportunity healing and plus you will have a swimming pool free from pathogenic micro flora.

5. Use this device during a hemodialysis. Creates conditions on self-regeneration tissue of a kidney.
6. Using information technology on stock-raising farms for a huge economic benefit plus pure from antibiotics meat product.
7. Information technology also can be very useful in maternity hospital to help a premature baby. For this purpose typical physic -therapeutically equipment for artificial breath, kidney, and heart will connected to information device.

And many other useful things; includes hospitals, health centers, children's houses, boarding and public schools, military, and nursing homes...

Benefits:

1. Pain relief
Many diseases are accompanied by a painful syndrome. Device allows removing all kind pain of any origin (a trauma, disease, inflammatory processes).
2. Anti-Virus and Antibacterial effect
Process of suppression of a virus and bacterial infection is based on blocking information of development of viruses and bacteria programs.
3. Anti-oncology effect
Result of application is general improvements the information program that actively counteracting occurrence and development of the cancer cells.
4. Cardio-Vascular effect
More often infringement of regulation of a lumen of vessels is shown by their spasm. The device restores regulation ability of vegetative nervous system that leads to expansion of a lumen of blood vessels. The device can be useful to use at such terrible diseases, as a heart attack of a myocardium, infringement of brain blood circulation, etc.
5. Relaxation muscles effect
6. Anti-edematous effect
The device is used as anti-edematous application on the legs that is result of veins diseases, a cardio-vascular and lymphatic pathology, urine systems, etc.
7. Anti-inflammatory effect
The device blocks inflammatory process at an early stage of development, it is successfully used at local inflammatory processes (furuncles, carbuncle, maturate wounds and others), and at various infectious diseases (respiratory infections, a flu, quinsy, inflammatory diseases of bronchial tubes, lungs, hearts, primogenital system, a virus hepatitis and others).
8. Febrifugal effect
9. Anti-allergic effect
Allergy is not disease, but protective immune reaction. Using this device, your body is producing special cells and the biochemical substances which are reducing sensitivity to allergens. In this case it allows avoiding any allergic reaction without using medication.
10. Increase immune system reaction
11. Metabolism normalization effect
Using this device normalize a fatty, carbohydrate, protein and mineral metabolism.
12. Hormonal normalization effect
It normalizes work of gland. It could be used at hormonal dysfunctions or diseases, for example: a thyroid gland, a diabetes, etc.
13. Hemostatic and trophic effect
Using as fast pre-medical and first medical assistance at traumas and bleedings if the last do not demand applying a tourniquet. Treat the fresh wounds which are not healing for long time, trophic ulcers of a soft tissue, erosion and stomach ulcers, a duodenal, small and large intestine.
14. Destruction bilious and kidneys stones
Using device leads to restoration self-regulations processes in an organism, and as result the biochemical structure of bile and urine become normal and it avoid possibility formation bilious or kidney stones.

15. Cosmetic effect

Device normalizes the hormonal status, improves circulatory dynamics and tropism of skin and its derivatives that allows to carry out correction of problem places and to spend preventive maintenance of ageing of a skin.

16. Emergency service

Device is successfully used at loss of consciousness, a faint, a shock, and sharp infringement of brain blood circulation, an attack of a bronchial asthma, a hypertonic crisis, an alcoholic and narcotic poisoning and other urgent conditions by way of pre-medical and first medical assistance.

17. Anti – stressful effect

Device could be useful to reduce any stress situation which leads to weariness, the general irritability, infringement of the night sleep; a wrong diet; consumption of ecologically polluted products, waters, air; physical, intellectual or mental fatigue; intensive electromagnetic and other geophysical and geochemical fields (both natural, and technogenic), radiation; disputed situations in family and social society; at occurrence of complex vital collisions; during recover from any infectious and a superfluous use of alcohol, medical products, toxic and any drug substances etc.

Maintenance

Harmonizers H-1 and H-2 does not need any maintenance except to keep clean.

Maintenance for Harmonizer H-2Y and H-6 includes replacing power supply, 4 (four) AA batteries for H-2Y and 8 (eight) AA batteries for H-6. Usually it required after 1.5-2 years operation. To check of working capacity of power supply of H-2Y by pressing the button, light should come up. If it does not occur or dim, the replacement power supply is required. Not recommended the repeated pressing this button in short time. To check of working capacity of power supply of H-6 required regular voltmeter. It is forbidden to keep all type Harmonizer near heating elements.